MATERIAL SAFETY DATA SHEET SealX Medium Polish p1

Revision No: 1 Issued: Jan 2012

1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND OF THE COMPANY / UNDERTAKING

Product name: SealX Medium Cutting Polish

Company: SealX NZ, 48 Riverside drive, Whangarei 0140, New Zealand

PH: ++64 (0)9 438 88 00

Use / description of product: Polish for cars, boats etc

2. COMPOSITION / INFORMATION ON INGREDIENTS

Contains: A water in oil emulsion. Contains white spirit 15-30% CAS 8030-30-60

OES White spirit LTEL 8 hr 100ppm STEL 10min 125ppm

3. HAZARDS IDENTIFICATION

Main hazards: Flammable. Irritating to skin with long term contact. Vapour an liquid

irritating to eyes. Irritating to respiratory tract. May cause dizziness.

FIRST AID MEASURES (SYMPTOMS)

Skin contact: There may be mild irritation at the site of contact.

Eye contact: There may be irritation and redness. There may be irritation due to abrasive

powders present.

Ingestion: May cause burning of the mouth, throat and alimentary tract. May cause

Vomiting with risk of aspiration.

Inhalation: May cause headaches and drowsiness.

4. FIRST AID MEASURES (ACTION)

Skin contact: Remove all contaminated clothes and footwear immediately unless stuck to

skin. Drench the affected skin with running water for 10 minutes or longer if

substance is still on skin. If irritation continues, consult a doctor.

Eye contact: Bathe the eye with running water for 15 minutes. Consult a doctor. *Ingestion:* Wash out mouth with water. Do not induce vomiting. Consult a doctor.

Inhalation: Remove casualty from exposure. Rest and keep warm. Consult a doctor.

5. FIRE-FIGHTING MEASURES

Extinguishing media: Dry chemical powder. Carbon dioxide. Alcohol resistant foam.

Exposure hazards: In combustion emits toxic fumes of carbon dioxide and carbon monoxide. **Protection of fire-fighters:** Wear self-contained breathing apparatus. Wear protective clothing to prevent

contact with skin and eyes.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions:Refer to section 8 for details. Eliminate all sources of ignition. No smoking. **Environmental precautions:**Do not discharge into drains or rivers. Contain the spillage using bunding. **Clean-up procedures:**Absorb into dry earth or sand. Transfer to a closable, labelled salvage container

for disposal by an appropriate method.

7. HANDLING AND STORAGE

Handling requirements: Ensure there is sufficient ventilation of the area. Smoking is forbidden.

Storage conditions: Store in cool, well ventilated area. Keep container tightly closed. Keep away

from direct sunlight.

Suitable packaging: Must only be kept in original packaging.

Heavy duty polish P2

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering measures: Ensure there is sufficient ventilation of the area. **Respiratory protection:** Respiratory protection in case of emergency spillage.

Hand protection:Protective gloves.Eye protection:Safety gogglesSkin protection:Protective clothing.

OEL 575 mg/m3 8hr

9. PHYSICAL AND CHEMICAL PROPERTIES

State: Creamy emulsion of water in oil.

Colour: Off white

Odour: Characteristic odour

Viscosity: Viscous

Evaporation rate: Moderate

Solubility in water: Immiscible

Flash point °C: 36-41 cc

Auto flammability °C: 250

10. STABILITY AND REACTIVITY

Stability: Stable under normal conditions. Stable at room temperature.

Conditions to avoid: Sources of ignition. Flames. Heat.

Materials to avoid: Oxidising agents.

11. TOXICOLOGICAL INFORMATION

N/A

12. ECOLOGICAL INFORMATION

Hazardous Ingredients: White Spirit

Mobility: Not miscible with water. *Bio accumulative potential:* No data available.

Other adverse effects: Toxic to aquatic organisms. May cause long-term adverse effects in the

aquatic environment.

13. DISPOSAL CONSIDERATIONS

Waste disposal: Dispose of in accordance with local and national regulations

Disposal of packaging: Dispose of as normal industrial waste.

NB: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

14. TRANSPORT INFORMATION

ADR / RID 3.3 UN no: 1268 IMDG Page 3375 Packing group III Classification Code P1 Marine pollutant No Hazard symbols 3Y

Medium polish P3

15. REGULATORY INFORMATION

Hazard symbols: Nil

Risk phrases: R10: Flammable.

R22: Harmful if swallowed.

Safety phrases: S2: Keep out of the reach of children.

S23: Do not breathe fumes.

S26: In case of contact with eyes rinse immediately with plenty of water and seek

medical advice.

S51: Use only in well ventilated area.

S62: If swallowed, do not induce vomiting, seek medical advice immediately and

show the label.

Contains preservative. May cause allergic reaction.

Note: The regulatory information given above only indicates the principal regulations specifically applicable to the product described in the safety data sheet. The user's attention is drawn to the possible existence of additional provisions which complete these regulations. Refer to all applicable national, international and local regulations or provisions.

16. ADDITIONAL INFORMATION

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.

[final page]