

# SAFETY DATA SHEET VINYI & RUBBER TREATEMNT

Compilation date: 20/01/2015

#### 1: IDENTIFICATION OF THE PREPARATION AND THE COMPANY

Product name: Vinyl & Rubber Treatment

Supplier: SealX NZ Ltd

48 Riverside Drive

Whangarei Northland New Zealand

Tel: 0046 (0) 9 438 88 00 Email: tom@sealx.co.nz

#### 2: COMPOSTION / INFORMATION ON INGREDIENTS

 Ingredient Name
 CAS NO.
 CONTENTS
 HEALTH
 RISK

 Solvent Naptha
 0647 42-88-7
 70-80%
 Xn

R10/R65

(See section 15.)

#### 3. HAZARDS IDENTIFICATION

Product is flammable.

Prolonged inhalation of fumes may cause headache and drowsiness. Degreasing action may cause irritation to the skin. Vapour and liquid are irritating to eyes. Ingestion may cause vomiting with risk of lung damage by aspiration.

#### 4. FIRST AID MEASURES

Inhalation: Move casualty to fresh air. Loosen tight clothing and ensure he is breathing freely. If symptoms persist seek medical advice.

Ingestion: Rinse mouth and lips with clean water. Give milk or water to drink. Obtain urgent medical advice. Do not attempt to induce vomiting.

Skin: Wash immediately with soap and water. Remove contaminated clothing.

Eyes: Rinse immediately with plenty of clean water. Continue rinsing for 15 minutes ensuring that the surface of the eyeball is completely rinsed.

Obtain medical advice.

## 5. FIRE FIGHTING MEASURES

Extinguishing media: Dry chemical powder, carbon dioxide, chemical foam, or water spray. Keep undamaged cans cool with water spray.

May form explosive mixture in the air.

#### 6. ACCIDENTAL RELEASE MEASURES

Extinguish all naked flames and sources of ignition. No Smoking. Absorb onto sand and earth, then hold in closed container pending disposal. Inform Fire service and local water authority in even of major spillage entering drains.

## 7. HANDLING AND STORAGE

STORAGE PRECAUTIONS: Store in containers provided. Store in a cool, well ventilated area, well away from sources of ignition. Vapours are heavier than air and may drift

to distant ignition source. Use only in well ventilated area, well away from any source of ignition.

# 8. EXPOSURE CONTRLS AND PERSONAL PROTECTION

INGREDIANT NAME CAS NO. RECOMMENDED OEL.

SOVENT NAPTHA 064742-88-7 100ppm (8 HOUR TWA)

Ventilation: Ensure adequate ventilation. Avoid breathing spray mist.

Protective Gloves: Impervious gloves and clothing should be worn.

Eye Protection: Safety glasses or full face visor should be worn if splashing is likely to occur

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Clear, mobile liquid

Colour: Yellow

Odour/Taste: Characteristic Solvent/Perfume

Solubility Description: Not miscible

### 10. STABILITY AND REACTIVITY

Stable under normal conditions of temperature and pressure. Burning can produce carbon dioxide and/or carbon monoxide.

#### 11. TOXICOLOGICAL INFORMATION

Prolonged or repeated skin contact may lead to significant irritation. If ingested, may cause burning of mouth, throat and alimentary tract. May cause vomiting with risk of aspiration.



# SAFETY DATA SHEET VINYI & RUBBER TREATEMNT

Compilation date: 20/01/2015

#### 12. ECOLOGICAL INFORMATION

Do not release into surface waters.

May cause long term adverse effects in the aquatic environment.

#### 13. DISPOSAL CONSIDERATIONS

Dispose of waste product as hazardous waste, via an authorized contractor.

#### 14. TRANSPORT INFORMATION

Classifications and symbols required

FLAMMALBLE LIQUID (Flaming Torch diamond)
MARINE POLLUTANT (Marine Pollutant triangle)

UN NO. HAZARD CLASS PACKING GROUP IMDG PAGE REF.

1300 3.3 III 3375

# 15. REGULATORY INFORMATION

#### FLAMMABLE

Risk Phrases: Xn Harmful (St Andrews Cross symbol)

R10 Flammable.

R65 May Cause lung damage if swallowed.

Safety Phrases: S2 Keep out of reach of Children.

S16 Keep away from sources of ignition.S24/25 Avoid contact with skin and eyes.

S37 Wear suitable gloves.

S62 If swallowed do not induce vomiting. Seek medical advice and show this container or label.

#### **UK REGULATORY REFERENCES:**

**Supply/Amendment** Chemicals (Hazards information and Packaging for Regulations 1996 (CHIP 96).

Other regulations which may apply during storage, transport of use of this product include:

Health & Safety at Work Act - 1974 and subsequent amendments.

Carriage of Dangerous Goods by Road and Rail (classification, Packaging and Labelling) Regulations 1994.

Environmental Protection (Duty of Care) Regulations 1991.